DEFINING TOMORROW

T409SAR





→ T409SAR

The T409SAR is specifically designed to provide maximum payload under Australian regulations for 19m B-Double and most 19m Quad Dog applications. It also fits the 26m envelope B-Double with 36" sleeper. Reflecting its function as a tough workhorse, the T409SAR features power up to 580 peak horsepower under the classic Kenworth flat grille and hood.



ADR 80/03 - THE NEW AUSTRALIAN EMISSIONS STANDARD

For the T409SAR the emission solution employed to meet ADR 80/03 in the 2011 model range powered by Cummins ISX is cooled Exhaust Gas Recirculation (EGR).

Kenworth is introducing a Cummins Particulate Filter as part of the engine package. The Cummins Particulate Filter, which replaces the existing vehicle muffler, reduces particulate emissions by 90% from ADR80/02 and is designed to last the life of the engine.

Kenworth's application engineering process has delivered an optimized solution that integrates EGR seamlessly across the high horsepower engine options. So as well as being highly efficient and low maintenance the EGR emission solution has little or no impact on payload and efficiency. Kenworth customers get the emission compliance they need with the proven performance and reliability of engines they know and trust – all with the back up of our renowned local design and manufacturing capability and Australia wide support network.

EBSS - ELECTRONIC BRAKE SAFETY SYSTEM

At Kenworth, safety has always been a paramount consideration, and we continue to invest heavily in developing a safer working environment for road transport operators and other road users. All 2011 new model Kenworth's will be available with the latest Kenworth EBSS Safety Package. EBSS incorporates a variety of safety features including ABS, Drag Torque Control, Traction Control and ESP.

Kenworth EBSS has been designed to provide a class leading and reliable system for Australasia's unique road conditions and applications, and deliver better peace of mind for all road users. To learn more about these safety systems visit www.kenworth.com.au

NEW FEATURES


The new T409SAR Kenworth features a wide range of important enhancements- from the significant driver environment improvements to the new trim colours and additional safety features. New doors have been introduced with electric windows as standard, wider more comfortable arm rests, new heavy duty steel key and improved Heater, Ventilation and Air Conditioner Units to keep you warmer in winter and cooler in summer.

The 2011 range also sees the introduction of the new Eaton "Ultrashift plus" automated transmissions. This two-pedal transmission delivers significant improvements in performance, superior acceleration and low speed manoeuvrability with its revolutionary Electronic Clutch Actuation (ECA).


NEW DOORS




T409SAR 28" IT SLEEPER




T409SAR DAY CAB




T409SAR 36" SLEEPER MID ROOF RECESSED BACK




T409SAR 36" SLEEPER RECESSED BACK



T409SAR 36" SLEEPER FLAT BACK



T409SAR 50" SLEEPER



MAIN SPECIFICATIONS AND OPTIONS .

CONFIGURATION

6X4 standard

• FUE

• FUEL HAUL & GAS HAUL optional

ENGINE

- ISX EGR 485HP @ 1650 LBFT TORQUE standard
- ISX EGR 485HP @ 1850 LBFT TORQUE optional
- ISX EGR 500HP @ 1850 LBFT TORQUE optional
- ISX EGR 525HP @ 1850 LBFT TORQUE optional
- ISX EGR 550HP @ 1850 LBFT TORQUE optional

EXHAUST

- DPF MOUNTED UNDER CAB RIGHT HAND FORWARD WITH SINGLE OR DUAL TAIL PIPES
- DPF MOUNTED IN CHASSIS WITH SINGLE OR DUAL TAIL PIPES

AIR CLEANER

- DONALDSON 2504 AIR CLEANER MOUNTED UNDER HOOD standard
- DUAL DONALDSON ERA COWL MOUNTED
- STAINLESS STEEL COWL MOUNTED optional

TRANSMISSION

- EATON RTL016918B standard
- Up to EATON RTL020918B optional
- Up to EATON RTL018913A optional
- Up to EATON RTL020918A-AS3 optional

- ULTRASHIFT PLUS
- FO-16E318B-MXP optional
- FO-18E318B-MXP optional
- FO-20E318B-MXP optional

FRONT AXLE

- DANA E-1462I standard
- MERITOR FG941 optional
- MERITOR MFS73 optional

REAR AXLE

- DANA DSH40P standard
- DANA D46-170 optional
- DANA D50 170 optional
- DANA D52 190 optional
- MERITOR RT40-145 optional
 MERITOR RT40-145 optional
- MERITOR RT46-160 optional
 MERITOR RT50 160 optional
- MERITOR RT52 185 optional

REAR SUSPENSION

- KENWORTH AIRGLIDE 400 standard
- KENWORTH AIRGLIDE 460 optional
- KENWORTH KW6-60A optional
- NEWAY AD246/10 optional

BRAKES

- DRUM standard
- DISC optional

WHEELS

- 6 SPOKE standard
- · ALCOA 10 STUD optional

SLEEPER

- 28" IT optional
- 36" AERO RECESSED BACK optional
- 36" AERO FLAT BACK optional
- 36" MID ROOF SLEEPER optional
- 50" AERO FLAT BACK optional

FUEL TANKS

- 400L 625MM DIA FUEL TANK LEFT HAND FORWARD standard
- RANGE OF PACKAGES AVAILABLE IN ROUND AND RECTANGULAR TANKS optional

PAINT

- SINGLE COLOUR TO CAB standard
- UP TO 3 COLOURS 6 BREAKS optional

GCM

• 80 TONNE LIMIT



THE BEST DEALER NETWORK

Kenworth has built an extensive truck dealer network across Australia that is renowned for its professionalism and excellence in the heavy duty truck industry. The Kenworth dealer network also includes highly qualified dealers in New Zealand and Papua New Guinea.



For more information contact your local Kenworth Dealer or go to www.kenworth.com.au

IMPORTANT: The vehicles shown in this brochure are for illustrative purposes only and may include some non-standard optional equipment. All weights and measurements should be regarded as approximate only. For full details contact your Kenworth Dealer. In the interests of product improvement, Kenworth reserves the right to change these specifications without prior notice.

PACCAR Australia Pty Ltd, 64 Canterbury Road, Bayswater, Victoria 3153

Telephone [03] 9721 1500 Facsimile: [03] 9720 4144





